

ORDERING INFORMATION

MODEL : JFK prefix model numbers in .

PLEASE FILL IN THIS SECTION



Model _____
 Company _____
 Name _____
 P/O No. _____

M-SYSTEM USE ONLY



Job No. _____ Inspected by: _____
 Ser No. _____ — _____
 Sales _____ Inspected by: _____

- **INSTRUCTION**
- (1) Select your model suffix code (equation code) and mark with .
 - (2) Fill in the sections enclosed with bold lines.
 - (3) 3 digits to the right of decimal point are effective for gain setting; while 2 digits for bias.
 - (4) There is no need of this Ordering Sheet if all settings are as default.

Equation Code: /1

GAIN	SET VALUE	AVAILABLE RANGE	DEFAULT
K ₁	(no unit)	±29.999	1
K ₂	(no unit)	±29.999	1
K ₃	(no unit)	±29.999	1

Equation Code: /2, 3, 4, 5, 9, 10

GAIN	SET VALUE	AVAILABLE RANGE	DEFAULT
K ₀	(no unit)	±29.999	1
K ₁	(no unit)	±29.999	1
K ₂	(no unit)	±29.999	1
K ₃	(no unit)	±29.999	1

Equation Code: /6, 7

GAIN	SET VALUE	AVAILABLE RANGE	DEFAULT
K ₀	(no unit)	±29.999	1
K ₁	(no unit)	±29.999	1
K ₂	(no unit)	±29.999	1
K ₃	(no unit)	±29.999	1

Equation Code: /8

GAIN	SET VALUE	AVAILABLE RANGE	DEFAULT
K ₀	(no unit)	±29.999	1
K ₁	(no unit)	±29.999	1
K ₂	(no unit)	±29.999	1
K ₃	(no unit)	±29.999	1

Equation Code: /11 (For model 11JFK only)

GAIN IN PROCESS EQUATION			ACTUAL 0% VALUE (eng. unit)		ACTUAL 100% VALUE (eng. unit)	
G ₁	(no unit)	Y ₀	()	Y ₀	()	
G ₂	(no unit)	Y ₁	(same unit)	Y ₁	(same unit)	
G ₃	(no unit)	Y ₂	(same unit)	Y ₂	(same unit)	
BIAS IN PROCESS EQUATION (eng. unit)			Y ₃	(same unit)	Y ₃	(same unit)
B ₀	()					

(M-SYSTEM USE ONLY)

GAIN	SET VALUE	AVAILABLE RANGE	DEFAULT
K ₀	(no unit)	±29.999	None
K ₁	(no unit)	±29.999	None
K ₂	(no unit)	±29.999	None

Low Input Limit

LOW	SET VALUE	AVAILABLE RANGE	DEFAULT
X ₁	%	-25 to +125 %	-15 %
X ₂	%	-25 to +125 %	-15 %
X ₃	%	-25 to +125 %	-15 %

BIAS	SET VALUE	AVAILABLE RANGE	DEFAULT
A ₂	%	±299.99 %	0 %
A ₃	%	±299.99 %	0 %
SQUARE ROOT EXTRACTION			<input type="checkbox"/> With <input type="checkbox"/> Without
			Without

BIAS	SET VALUE	AVAILABLE RANGE	DEFAULT
A ₀	%	±299.99 %	0 %
A ₁	%	±299.99 %	0 %
A ₂	%	±299.99 %	0 %
A ₃	%	±299.99 %	0 %

BIAS	SET VALUE	AVAILABLE RANGE	DEFAULT
A ₀	%	±299.99 %	0 %
A ₁	%	±299.99 %	0 %
A ₃	%	±299.99 %	0 %

BIAS	SET VALUE	AVAILABLE RANGE	DEFAULT
A ₀	%	±299.99 %	0 %
A ₁	%	±299.99 %	0 %
A ₂	%	±299.99 %	0 %

(M-SYSTEM USE ONLY)

BIAS	SET VALUE	AVAILABLE RANGE	DEFAULT
A ₀	%	±299.99 %	None

High Input Limit

HIGH	SET VALUE	AVAILABLE RANGE	DEFAULT
X ₁	%	-25 to +125 %	+115 %
X ₂	%	-25 to +125 %	+115 %
X ₃	%	-25 to +125 %	+115 %