

# ORDERING INFORMATION

# MODEL : LTWT,LTWTN,LTRP,LTRPN

PLEASE FILL IN THIS SECTION



Model \_\_\_\_\_

Company \_\_\_\_\_

Name \_\_\_\_\_

P/O No. \_\_\_\_\_

M-SYSTEM USE ONLY



Job No. \_\_\_\_\_ Inspected by: \_\_\_\_\_

Ser No. \_\_\_\_\_ — \_\_\_\_\_

Sales \_\_\_\_\_ Inspected by: \_\_\_\_\_

Fill in the blanks.

### ■ VOLTAGE INPUT

• When a VT is used:

V /  V \*

• When a VT is NOT used:

V \*

### ■ CURRENT INPUT

• When a CT is used:

A /  A \*

• When a CT is NOT used:

A \*

\*The above values are only for reference for calculation. The marking on the products does not contain the above values.

### ■ TRANSDUCER INPUT (CALIBRATION) RANGE (for models LTWT, LTWTN, LTRP and LTRPN only)

$$\begin{aligned} \text{Transducer Input Range} &= \frac{\text{Measuring Wattage or Var}}{\text{VT Ratio} \times \text{CT Ratio}} \\ &= \frac{\text{[ ] [W] or [var]}}{\text{[ ] V / [ ] V} \times \text{[ ] A / [ ] A}} \\ &= \text{[ ] [W] or [var]} \end{aligned}$$

Effective number of digits: 4 except decimal point

Transducer Input, 0% =  [W] or [var]

Transducer Input, 100% =  [W] or [var]

### ■ CUSTOMER SPECIFIC PULSE OUTPUT (for model LTWT and LTWTN only, when suffix code "2: Specify pulse input" is specified)

$$\begin{aligned} \text{Transducer Pulse Output} &= \frac{\text{Pulse Unit in Primary}}{\text{VT Ratio} \times \text{CT Ratio}} \\ &= \frac{\text{[ ] [kWh/pulse]}}{\text{[ ] V / [ ] V} \times \text{[ ] A / [ ] A}} \\ &= \text{[ ]} \times 10^{-3} \text{ [kWh/pulse]} \\ &= \text{[ ] [Wh/pulse]} \end{aligned}$$

Effective number of digits: 4 except decimal point