

ORDERING INFORMATION

MODEL : R30CT4E

PLEASE FILL IN THIS SECTION



Model _____

Company _____

Name _____

P/O No. _____

M-SYSTEM USE ONLY



Job No. _____

Ser No. _____

Sales _____

Approved by (Sales office) _____

Issued by (Sales office) _____

Approved by (Factory) _____

Set by (Factory) _____

Ser No. _____

Specify the items you want to change. Default setting will be used if not specified.

DEFAULT shows values in case of nothing specified.

CHANNEL INDIVIDUAL SETTING

■ INPUT SENSOR

CHANNEL	SET VALUE	DEFAULT VALUE	Factory Internal check
Input 1	<input type="checkbox"/> CLSE-60 <input type="checkbox"/> CLSE-40 <input type="checkbox"/> CLSE-20 <input type="checkbox"/> CLSE-10 <input type="checkbox"/> CLSE-05 <input type="checkbox"/> CLSE-R5 <input type="checkbox"/> CH Disable	CLSE-60	<input type="checkbox"/>
Input 2	<input type="checkbox"/> CLSE-60 <input type="checkbox"/> CLSE-40 <input type="checkbox"/> CLSE-20 <input type="checkbox"/> CLSE-10 <input type="checkbox"/> CLSE-05 <input type="checkbox"/> CLSE-R5 <input type="checkbox"/> CH Disable	CLSE-60	<input type="checkbox"/>
Input 3	<input type="checkbox"/> CLSE-60 <input type="checkbox"/> CLSE-40 <input type="checkbox"/> CLSE-20 <input type="checkbox"/> CLSE-10 <input type="checkbox"/> CLSE-05 <input type="checkbox"/> CLSE-R5 <input type="checkbox"/> CH Disable	CLSE-60	<input type="checkbox"/>

CHANNEL	SET VALUE	DEFAULT VALUE	Factory Internal check
Input 4	<input type="checkbox"/> CLSE-60 <input type="checkbox"/> CLSE-40 <input type="checkbox"/> CLSE-20 <input type="checkbox"/> CLSE-10 <input type="checkbox"/> CLSE-05 <input type="checkbox"/> CLSE-R5 <input type="checkbox"/> CH Disable	CLSE-60	<input type="checkbox"/>

■ SCALED RANGE ZERO/SPAN

CHANNEL		AVAILABLE VALUE	SET VALUE	DEFAULT VALUE	Factory Internal check
Input 1	Scaled range Zero	0 to 64,000		0	<input type="checkbox"/>
	Scaled range Span	0 to 64,000		0	<input type="checkbox"/>
Input 2	Scaled range Zero	0 to 64,000		0	<input type="checkbox"/>
	Scaled range Span	0 to 64,000		0	<input type="checkbox"/>
Input 3	Scaled range Zero	0 to 64,000		0	<input type="checkbox"/>
	Scaled range Span	0 to 64,000		0	<input type="checkbox"/>
Input 4	Scaled range Zero	0 to 64,000		0	<input type="checkbox"/>
	Scaled range Span	0 to 64,000		0	<input type="checkbox"/>

* In the case of DEFAULT VALUE: 0, it is integer that engineering unit value (A) multiplied by 100 (for CLSE-R5, integer that engineering unit value (A) multiplied by 1000).

■ LOW-END CUTOUT

CHANNEL	AVAILABLE VALUE	SET VALUE	DEFAULT VALUE	Factory Internal check
Input 1	0.5 to 50.0%		1.0%	<input type="checkbox"/>
Input 2	0.5 to 50.0%		1.0%	<input type="checkbox"/>
Input 3	0.5 to 50.0%		1.0%	<input type="checkbox"/>
Input 4	0.5 to 50.0%		1.0%	<input type="checkbox"/>

CHANNEL BATCH SETTING

■ CONVERSION RATE

ITEM	SET VALUE	DEFAULT VALUE	Factory Internal check
Conversion rate / Conversion accuracy	<input type="checkbox"/> 80ms/±0.5% <input type="checkbox"/> 40ms/±0.5% <input type="checkbox"/> 20ms/±1.0% <input type="checkbox"/> 10ms/±2.0%	80ms/±0.5%	<input type="checkbox"/>

■ OPERATIONAL DELAY AT POWER ON

ITEM	AVAILABLE VALUE	SET VALUE	DEFAULT VALUE	Factory Internal check
Operational delay at power on	0.0 to 60.0 sec.		5.0 sec.	<input type="checkbox"/>